

As part of CIE's continual commitment to maintaining best practice in assessment, CIE has begun to use different variants of some question papers for our most popular assessments with extremely large and widespread candidature. The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions are unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiner's Reports.

| Question Paper | Mark Scheme | Principal Examiner's Report |
|-------------------------------|----------------------------|--|
| Introduction | Introduction | Introduction |
| First variant Question Paper | First variant Mark Scheme | First variant Principal Examiner's Report |
| Second variant Question Paper | Second variant Mark Scheme | Second variant Principal Examiner's Report |

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

MARK SCHEME for the October/November 2007 question paper

0580 and 0581 MATHEMATICS

0580/01 and 0581/01 Paper 1 (Core), maximum raw mark 56

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



| | | | |
|---------------|--------------------------------------|------------------|--------------|
| Page 2 | Mark Scheme | Syllabus | Paper |
| | IGCSE – October/November 2007 | 0580/0581 | 01 |

Abbreviations

In addition to those already seen the following may crop up.

cao – correct answer only

ww – without working

www – without wrong working

oe – or equivalent

soi – seen or implied

bod – benefit of doubt

art – anything rounding to

isw – ignore subsequent working

ft – follow through

oor – out of range

isr – ignore subsequent rounding

rot – rounded or truncated

mog – marks on graph

| | | | |
|---------------|--------------------------------------|------------------|--------------|
| Page 3 | Mark Scheme | Syllabus | Paper |
| | IGCSE – October/November 2007 | 0580/0581 | 01 |

| Question | Answers | Mark | Notes |
|-----------|--|--------------------|---|
| 1 | -13 | 1 | Not 13– |
| 2 | (\$) 10 | 2 | M1 for $35 \div (5 + 2)$ or better. SC1 for (\$) 25 only or 25:10 or 25 and 10 in the answer space. |
| 3 | $(x =) - 1$ | 2 | M1 for $1 - 4 = x + 2x$ oe Not embedded unless $x = -1$ seen. |
| 4 | 60 | 2 | M1 for $52.50 \div 0.875$. SC1 for answers 59.659 rot or 60.3448 rot (from rounding 0.875 to 0.88 or 0.87.) |
| 5 | $2x(2y - 1)$ final answer | 2 | SC1 for $x(4y - 2)$ or $2(2xy - x)$ or $2x(2y + 1)$ Or SC1 for $2x(2y - 1)$ not as final answer. |
| 6 | art39.8 | 2 | M1 for $\tan p = \frac{25}{30}$ oe |
| 7 | $1250 (\leq d <) 1350$ | 2 13 | 1 mark for each in correct order |
| 8 | (a) Two correct lines of symmetry, No extra lines (b) Parallelogram | 1 1 | Lines must be a minimum of length and height of the figure. |
| 9 | (a) 15 (b) $\frac{11}{9}$ oe $\frac{22}{18} - \frac{15}{18} = \frac{7}{18}$ oe | 1 B1 E1 | Eg $\frac{66}{54}$ Allow $\frac{9}{9} + \frac{2}{9}$ or better Must be finally reduced to $\frac{7}{18}$ |
| 10 | (a) 30 (b) 12 | 1 2ft | M1 for $360 \div$ either 30 or their (a) ft. answer only when calculation gives an integer > 2 |
| 11 | art38.3 | 3 11 | M1 for $\frac{d}{50} = \cos (180 - 140)$ oe soi M1 dep. for ($d =$) $50 \cos (180 - 140)$ oe SC1 for 32.1 (distance east) |

| | | | |
|---------------|--------------------------------------|------------------|--------------|
| Page 4 | Mark Scheme | Syllabus | Paper |
| | IGCSE – October/November 2007 | 0580/0581 | 01 |

| Question | Answers | Mark | Notes |
|-----------|---|---------------------------------|---|
| 12 | (a) -3 (b) $(y =) -3x + 3$ Final answer | 1 2ft | B1 for their $(a)x$ or $+3$ as intercept seen in the equation. Not $y = 3$ |
| 13 | (a) 55 or art 54.6 (b) 15 | 2 2 | M1 for $131 \div 240(\times 100)$ implied by 54.5 M1 for $6.25 \div 100 \times 240$ SC1 for answer 225 |
| 14 | (a) art 25.1 www (b) 61 (Can be on diagram) | 2 2 | M1 for $\pi \times 8$ or $2\pi \times 8 \div 2$ implied by answer of 25 M1 for $90 - 29$ or $180 - 90 - 29$ SC1 for angle $Q = 90^\circ$ soi |
| 15 | (a) 1 (b) x^6 (c) $\frac{x^2}{9}$ | 1 1 2 15 | M1 for $\frac{1}{(\frac{x}{3})^2}$ or better. E.g. $(\frac{x}{3})^2$ B1 if answer contains x^2 as numerator or 3^2 (or 9) as denominator. |
| 16 | (a)(i) 18 000 (ii) 1.8×10^4 (b) 0.056 | 1 1 ft 2 | 1.7598×10^4 gets 0 B1 for 0.06 or 0.0565 or 0.05649 or 0.057 seen SC1 for final answer 0.0560(0) |
| 17 | (a) (\$) 16.2(0) (b) (\$) 16.3(2) or 16.3(0) | 2 2 | M1 for $(200 \times 4.05 \times 2)/100$ SC1 for 216.2(0) M1 for $200(1.04)^2 - 200$ oe SC1 for 216.3(2). SC1 for both 8.(00) and 8.3(2) seen |
| 18 | (a)(i) Vector KL drawn (ii) (0,2) (b) (1, -1) | 1 1 ft 2 12 | If arrow shown, it must be correct. Only ft their point if labelled L . M1 for vector PS drawn or for $(\mathbf{PS} =) \begin{pmatrix} 4 \\ 2 \end{pmatrix}$ SC1 Point S on diagram at (1, -1) |
| 19 | (a)(i) 60 (m/min) (ii) 3.6 (km/h) (b) 3 (km/h) | 1 2cao 2 5 | M1 for their $(a) \times 60 \div 1000$ or $1.2 \div 0.33$ or better M1 for total distance(figs 15) \div total time Values seen, but independent of units. |

| | | | |
|--------|-------------------------------|-----------|-------|
| Page 5 | Mark Scheme | Syllabus | Paper |
| | IGCSE – October/November 2007 | 0580/0581 | 01 |

| Question | Answers | Mark | Notes |
|----------|--|-----------------------|--|
| 1 | -12 | 1 | Not 12- |
| 2 | (\$) 25 | 2 | M1 for $45 \div (4 + 5)$ or better SC1 for (\$) 20 only or 20:25 or 25 and 20 in the answer space. |
| 3 | $(x =) - 2$ | 2 | M1 for $2 - 10 = x + 3x$ oe Not embedded unless $x = -2$ seen. |
| 4 | 80 | 2 | M1 for $70.80 \div 0.885$ SC1 for answers 79.55 rot or 80.45 rot from rounding 0.885 to 0.89 or 0.88) |
| 5 | $2q(p - 2)$ final answer | 2 | SC1 for $q(2p - 4)$ or $2(pq - 2q)$ or $2q(p + 2)$ or SC1 for $2q(p - 2)$ not as final answer. |
| 6 | art34.5 | 2 | M1 for $\tan p = \frac{22}{32}$ oe Grads 38.3 or rads 0.6023 check for M1 A0 only. |
| 7 | 8750 ($\leq d <$) 8850 | 2 13 | 1 mark for each in correct order SC1 for fully correct but reversed |
| 8 | (a) Two correct lines of symmetry. No extra lines. (b) Parallelogram | 1 1 | Lines must be a minimum of length and height of the figure. |
| 9 | (a) 15 (b) $\frac{17}{12}$ oe $\frac{34}{24} - \frac{15}{24} = \frac{19}{24}$ oe | 1 B1 E1 | Eg $\frac{68}{48}$ Allow $\frac{12}{12} + \frac{5}{12}$ or better Must be finally reduced to $\frac{19}{24}$ |
| 10 | (a) 20 (b) 18 | 1 2ft 11 | M1 for $360 \div$ either 20 or their (a) Ft answer only when calculation gives an integer >2 |
| 11 | art34.6 www | 3 | M1 for $\frac{d}{40} = \cos (180 - 150)$ oe soi M1dep for ($d =$) $40 \cos (180 - 150)$ oe SC1 for 20 (distance east) Grads 35.6 or rads 6.17 check M2 A0 only. |

| | | | |
|--------|-------------------------------|-----------|-------|
| Page 6 | Mark Scheme | Syllabus | Paper |
| | IGCSE – October/November 2007 | 0580/0581 | 01 |

| Question | Answers | Mark | Notes |
|----------|--|--------------------------|---|
| 12 | (a) -2 (b) $(y =) -2x + 4$ Final answer. | 1 2ft | Allow $\frac{-2}{1}$ and $\frac{-4}{2}$ or $\frac{2}{-1}$ or $\frac{4}{-2}$ B1 for their (a) x or $+4$ as intercept seen in the equation. Not $y = 4$ |
| 13 | (a) 48 or art 47.8 (b) 12 | 2 2 | M1 for $153 \div 320 (\times 100)$ M1 for $3.75 \div 100 \times 320$ SC1 for answer 308 |
| 14 | (a) art 40.8 or art 40.9 (b) 57 | 2 2 | M1 for $\pi \times 13$ or $2\pi \times 13 \div 2$ implied by answer of 41 M1 for $90 - 33$ or $180 - 90 - 33$ SC1 for angle $Q = 90^\circ$ soi |
| 15 | (a) 1 (b) y^8 (c) $\frac{p^2}{25}$ | 1 1 2 15 | M1 for $\frac{1}{(\frac{5}{p})^2}$ or better. E.g. $(\frac{p}{5})^2$ B1 if answer contains p^2 as numerator or 5^2 (or 25) as denominator |
| 16 | (a)(i) 16 000 (ii) 1.6×10^4 (b) 0.0037 | 1 1 ft 2 | 1.5583×10^4 gets 0. B1 for 0.004 or 0.00372 or 0.003718 seen. SC1 final answer 0.00370(0) |
| 17 | (a) (\$) 48.4(0) (b) (\$) 49.4(4) or 49.4(0) | 2 2 | M1 for $(400 \times 6.05 \times 2)/100$ SC1 for 448.4(0) M1 for $400(1.06)^2 - 400$ SC1 for 449.44 SC1 for 24 and 25.4(4) seen |
| 18 | (a)(i) Vector KL drawn correctly (ii) (0, 2) (b) (2, 0) | 1 1 ft 2 12 | If arrow shown, it must be correct Allow L not labelled. Only ft their point if labelled L . M1 for vector PS drawn or for $(\mathbf{PS} =) \begin{pmatrix} 6 \\ 4 \end{pmatrix}$ Ignore 'fraction' line. SC1 Point S on diagram at (2, 0) |
| 19 | (a)(i) 45 (m/min) (ii) 2.7 (km/h) (b) 3.2 (km/h) | 1 2cao 2 5 | M1 for their (a) $\times 60 \div 1000$ or $0.9 \div 0.33$ or better M1 for total distance (figs 16) \div total time Values seen, but independent of units. |