



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

CANDIDATE
NUMBER

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|



CHEMISTRY

0620/23

Paper 2

October/November 2012

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use

| | |
|--------------|--|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| Total | |

This document consists of **15** printed pages and **1** blank page.



1 Part of the Periodic Table of elements is shown below.

| | | | | |
|---|---|---|----|----|
| H | | | | He |
| | N | O | F | Ne |
| | P | S | Cl | Ar |
| | | | Br | |
| | | | I | |


(a) Answer the following questions using **only** the elements shown in the table above.

Write the symbol for an element which

- (i) is used to fill light bulbs, [1]
- (ii) is in Group VI and Period 3 of the Periodic Table, [1]
- (iii) is a greyish-black solid, [1]
- (iv) forms about 79% of the air, [1]
- (v) consists of single atoms with a full outer shell of electrons, [1]
- (vi) is liberated at the cathode when concentrated hydrochloric acid is
electrolysed. [1]

(b) Hydrogen reacts with chlorine to form hydrogen chloride.

(i) Complete the equation for this reaction.




[2]

(ii) Draw the electronic structure of a chlorine molecule.
Show only the outer shell electrons.

[2]

[Total: 10]

- 2 Vinegar contains ethanoic acid. The formula of ethanoic acid is shown below.



- (a) (i) On the formula above, put a ring around the carboxylic acid functional group. [1]

- (ii) Write the simplest formula for a molecule of ethanoic acid.

[1]

- (b) Ethanoic acid reacts with sodium hydroxide to form the salt sodium ethanoate.



What type of chemical reaction is this?

..... [1]

- (c) Sodium ethanoate is soluble in water.
What do you understand by the term *soluble*?

..... [1]

- (d) Which **one** of the following is the most likely pH value of ethanoic acid?
Put a ring around the correct answer.

pH 3 pH 7 pH 9 pH 13

[1]


- (e) All acids react with carbonates.
Complete the general equation for this reaction.



.....

[2]

- (f) The structure of sodium carbonate is shown below.




Write the simplest formula for sodium carbonate.

..... [1]

[Total: 8]

- 3 A student used the apparatus shown below to separate a mixture of coloured dyes. The solvent is not shown.



- (a) On the diagram above, draw and label the position of the solvent at the start of the experiment. [1]


- (b) The student let the solvent move up the filter paper to separate the dyes.

- (i) State the name of this method of separation.

..... [1]


- (ii) The student found that four different dyes had been separated by this method. On the diagram below draw

- the position of four separated dyes (show as spots)
- the solvent front (show as a line).



[3]

- (c) Part of the structure of a dye called indigo is shown below.




Is this a saturated or unsaturated compound?
Give a reason for your answer.

..... [1]

[Total: 6]

- 4 Hydrogen can be manufactured by heating methane with steam.



- (a) (i) Draw the structure of methane showing all atoms and bonds.

[1]

- (ii) Methane is a greenhouse gas.
What do you understand by the term *greenhouse gas*?

..... [1]


- (iii) State **one** source of the methane in the atmosphere.

..... [1]

- (iv) When 16 g of methane reacts completely with an excess of steam, 6 g of hydrogen are produced.
Calculate the mass of methane required to produce 300 g of hydrogen.

Answer = [1]

- (b) More hydrogen can be formed by reacting the carbon monoxide with more steam at 500 °C.



This reaction is reversible.

- (i) How do you know from this equation that the reaction is reversible?

..... [1]

- (ii) What do you understand by the term *reversible reaction*?

..... [1]

- (iii) Carbon monoxide is a common atmospheric pollutant.
State a source of the carbon monoxide in the atmosphere other than from the manufacture of hydrogen.

..... [1]

- (iv) Carbon dioxide is a product of the reaction between carbon monoxide and steam.
Is carbon dioxide an acidic or a basic oxide?
Give a reason for your answer.

..... [1]

[Total: 8]

5 Ethanol can be made by

- an addition reaction with ethene or
- by fermentation.

(a) (i) State the name of the substance that needs to be added to ethene to make ethanol.

..... [1]

(ii) What conditions are needed to make ethanol from ethene?

.....

..... [2]

(b) (i) Complete the word equation for fermentation in the presence of yeast.

..... → ethanol +

.....

[2]

(ii) The yeast contains enzymes.
What do you understand by the term *enzyme*?

.....

..... [2]

(c) The speed of ethanol formation during fermentation depends on the temperature.

(i) Use the information in the table below to describe how the speed of this reaction changes with temperature.

| temperature /°C | speed of reaction /g ethanol formed per hr |
|--------------------|--|
| 10 | 1 |
| 20 | 3 |
| 30 | 7 |
| 40 | 11 |
| 50 | 6 |
| 60 | 2 |
| 70 | 0 |

.....

.....

..... [3]


- (ii) State **two** factors which should be kept constant during this experiment.

.....
 [2]

- (d) Ethanol belongs to the alcohol homologous series.
 The boiling points of some alcohols are given in the table below.

| alcohol | number of carbon atoms in the alcohol | boiling point / °C |
|----------|--|-----------------------|
| methanol | 1 | 65 |
| ethanol | 2 | 79 |
| propanol | 3 | 98 |
| butanol | 4 | 117 |

- (i) On the grid below, plot a graph of boiling point against the number of carbon atoms.
 Join the points with a smooth line.



[3]

- (ii) Use your graph to estimate the boiling point of the alcohol having five carbon atoms.

boiling point =°C

[1]

[Total: 16]

6 Lead and lead compounds are common pollutants of the air.


(a) (i) State **one** source of lead in the air.

..... [1]

(ii) State **one** effect of lead on human health.

..... [1]

(b) Lead(II) oxide can be reduced by heating with carbon.



(i) Write a word equation for this reaction.

..... [1]


(ii) Explain how you know that lead(II) oxide is reduced in this reaction.

.....
..... [1]

(iii) Explain why this reaction is described as endothermic.

..... [1]

(c) Lead nitrate solution reacts with sodium iodide solution.



Lead iodide is insoluble in water but the reactants and sodium nitrate are soluble.
Draw a labelled diagram to explain how you can separate lead iodide from the rest of the reaction mixture.

[2]


(d) Complete the table below to show the number of protons, electrons and neutrons in the isotope of lead $^{204}_{82}\text{Pb}$.

| | |
|---------------------|--|
| number of protons | |
| number of electrons | |
| number of neutrons | |

[2]

[Total: 9]

7 The diagram below shows the apparatus used to electroplate a spoon with silver.



(a) Which is the anode?
Put a ring around the correct answer in the list below.

aqueous silver nitrate

battery

iron spoon

rod of pure silver

[1]

(b) Describe what happens to the silver rod and the iron spoon during electroplating.

silver rod

iron spoon [2]

(c) Why are metal objects electroplated?

..... [1]

(d) During the electroplating, silver atoms are converted to silver ions.
Which one of the following statements about this reaction is correct?
Tick **one** box.

- Silver atoms gain electrons.
- Silver atoms lose neutrons.
- Silver atoms lose electrons.
- Silver atoms gain protons.

[1]

(e) A student is given a slightly alkaline solution which contains chloride ions.
Describe how the student could use aqueous silver nitrate to show that chloride ions are present in the solution.


.....
.....
..... [3]

(f) Silver is a shiny metallic solid with a high melting point and boiling point.
Describe two **other** physical properties of silver.

1
2 [2]

[Total: 10]

- 8 The diagram shows a type of blast furnace built about 230 years ago. It was used to extract iron from iron ore.



- (a) Which letter on the diagram shows
- (i) where the solid raw materials are put into the furnace, [1]
 - (ii) where air is blown into the furnace, [1]
 - (iii) where iron is removed from the furnace? [1]

- (b) Describe the main reactions occurring in a blast furnace for extracting iron from iron ore. In your answer, include

- the names of the raw materials used
- the main chemical reactions which occur
- relevant word equations.

.....

.....

.....

.....

.....

.....

.....

.....

..... [5]

(c) Iron reacts with hydrochloric acid.

(i) Complete the word equation for this reaction.

iron + hydrochloric acid → +

.....

[2]

(ii) Iron(II) ions are formed in this reaction.
Describe a test for iron(II) ions.

test

result [2]

(d) Steel is an alloy of iron.

Which one of the following statements about steel is correct?

Tick **one** box.

Steel is a mixture of iron with sulfur atoms.

Stainless steel is commonly used to make car bodies.

The physical properties of steel are exactly the same as those of iron.

Steel is made by blowing oxygen through the molten iron obtained from the blast furnace.

[1]

[Total: 13]

DATA SHEET
The Periodic Table of the Elements

| Group | | I | II | III | IV | V | VI | VII | 0 | | | | | |
|-----------------------------------|------------------------------------|------------------------------------|--|--|------------------------------------|-------------------------------------|--------------------------------------|------------------------------------|--------------------------------------|--------------------------------------|------------------------------------|--|-------------------------------------|---------------------------------------|
| | | 1 H Hydrogen 1 | | | | | | | 2 He Helium 2 | | | | | |
| 7 Li Lithium 3 | 9 Be Beryllium 4 | | | | 11 B Boron 5 | 12 C Carbon 6 | 13 Al Aluminium 13 | 14 Si Silicon 14 | 15 P Phosphorus 15 | 16 S Sulfur 16 | 17 Cl Chlorine 17 | 18 Ar Argon 18 | | |
| 23 Na Sodium 11 | 24 Mg Magnesium 12 | | | 27 Fe Iron 26 | 28 Ni Nickel 28 | 29 Cu Copper 29 | 30 Zn Zinc 30 | 31 Ga Gallium 31 | 32 Ge Germanium 32 | 33 As Arsenic 33 | 34 Se Selenium 34 | 35 Br Bromine 35 | 36 Kr Krypton 36 | |
| 39 K Potassium 19 | 40 Ca Calcium 20 | 48 Ti Titanium 22 | 51 V Vanadium 23 | 55 Mn Manganese 25 | 59 Co Cobalt 27 | 59 Ni Nickel 28 | 64 Cu Copper 29 | 65 Zn Zinc 30 | 70 Ga Gallium 31 | 73 Ge Germanium 32 | 75 As Arsenic 33 | 79 Se Selenium 34 | 84 Kr Krypton 36 | |
| 85 Rb Rubidium 37 | 88 Sr Strontium 38 | 91 Zr Zirconium 40 | 93 Nb Niobium 41 | 101 Ru Ruthenium 44 | 103 Rh Rhodium 45 | 106 Pd Palladium 46 | 108 Ag Silver 47 | 112 Cd Cadmium 48 | 115 In Indium 49 | 119 Sn Tin 50 | 122 Sb Antimony 51 | 128 Te Tellurium 52 | 131 Xe Xenon 54 | |
| 133 Cs Caesium 55 | 137 Ba Barium 56 | 178 Hf Hafnium 72 | 181 Ta Tantalum 73 | 186 Re Rhenium 75 | 190 Os Osmium 76 | 195 Pt Platinum 78 | 197 Au Gold 79 | 201 Hg Mercury 80 | 204 Tl Thallium 81 | 207 Pb Lead 82 | 209 Bi Bismuth 83 | 210 Po Polonium 84 | 210 Rn Radon 86 | |
| 87 Fr Francium | 88 Ra Radium | 89 Ac Actinium | | | | | | | | | | | | |
| | | 140 Ce Cerium 58 | 141 Pr Praseodymium 59 | 144 Nd Neodymium 60 | 150 Sm Samarium 62 | 152 Eu Europium 63 | 157 Gd Gadolinium 64 | 159 Tb Terbium 65 | 162 Dy Dysprosium 66 | 165 Ho Holmium 67 | 167 Er Erbium 68 | 169 Tm Thulium 69 | 173 Yb Ytterbium 70 | 175 Lu Lutetium 71 |
| | | 232 Th Thorium 90 | 238 U Uranium 92 | 238 Pa Protactinium 91 | 94 Pu Plutonium 94 | 95 Am Americium 95 | 96 Cm Curium 96 | 97 Bk Berkelium 97 | 98 Cf Californium 98 | 99 Es Einsteinium 99 | 100 Fm Fermium 100 | 101 Md Mendelevium 101 | 102 No Nobelium 102 | 103 Lr Lawrencium 103 |

*58-71 Lanthanoid series
†90-103 Actinoid series

Key

| | |
|---|----------|
| a | X |
| b | † |

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.