

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2009 question paper  
for the guidance of teachers**

**0625 PHYSICS**

**0625/02**

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0625	02

## NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

B marks	are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
M marks	are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers <b>must</b> be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
C marks	are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
A marks	are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
c.a.o.	means "correct answer only".
e.c.f.	means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but <b>only</b> applies to marks annotated "e.c.f."
e.e.o.o.	means "each error or omission".
brackets ( )	around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.
<u>underlining</u>	indicates that this <u>must</u> be seen in the answer offered, or something very similar.
OR/or	indicates alternative answers, any one of which is satisfactory for scoring the marks.
Spelling	Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit.
Significant figures	Answers are acceptable to any number of significant figures $\geq 2$ , except if specified otherwise, or if only 1 sig. fig. is appropriate.
Units	It is expected that all final answers will have correct units. Deduct one unit penalty for each incorrect or missing unit, maximum 1 per question. No unit penalty if unit is missing from final answer but is shown correctly in the working.
Fractions	These are only acceptable where specified.
Extras	Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct response or are forbidden by mark scheme, use right + wrong = 0
Ignore	Indicates that something which is not correct is disregarded and does not cause a right plus wrong penalty.
Not/NOT	Indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0625	02

1	(a) (i) 20 (cm <sup>3</sup> ) )		
	(ii) 25 (cm <sup>3</sup> )±0.5 ) both	B1	[1]
	(b) 5 (cm <sup>3</sup> ) e.c.f.	B1	[1]
	(c) 5/200 e.c.f.	C1	
	0.025 (cm <sup>3</sup> ) e.c.f.	A1	[2]
			<b>[Total: 4]</b>
2	(a) kinetic or K.E. or motion	B1	[1]
	(b) strain or elastic	B1	[1]
	(c) gravitational or P.E. or G.P.E. or potential	B1	[1]
	(d) weight /mass (of athlete) AND height/distance (of bar)	B1	[1]
			<b>[Total: 4]</b>
3	(a) (i) 1. increasing steady or uniform 2. constant	M1 A1 B1	[3]
	(ii) horizontal straight line between A & B	B1	[1]
	(b) (i) line on axis between B & C	B1	[1]
	(ii) horizontal straight line between C & D lower than that for AB	M1 A1	[2]
	(c) zero distance or equiv.	B1	[1]
			<b>[Total: 8]</b>
4	(a) (i) moves to the left accelerates to the left	C1 A1	[2]
	(ii) arrow to the right 9 N	B1 B1	[2]
	(iii) blob on diagram clearly indicated as the C of M	B1	[1]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0625	02

(b) (i) rises	B1	[1]
(ii) less stable	B1	[1]
		<b>[Total: 7]</b>
<b>5 (a) (i)</b> 1. cooling OR energy/heat lost seen anywhere in (i) 2. solidifying or temperature constant 3. cooling	B1 B1 B1	[3]
(ii) first and last both ticked middle ticked	B1 B1	[2]
(iii) solid accept ice/frozen	B1	[1]
<b>(b)</b> rising <u>curve</u> of some sort idea of mirror image of Fig. 6.1	C1 A1	[2]
		<b>[Total: 8]</b>
<b>6 (a)</b> same greater at B greater at B	B1 B1 B1	[3]
<b>(b)</b> box 1 ticked ) ) use $\checkmark + \times = 0$ for extras box 3 ticked )	B1 B1	[2]
		<b>[Total: 5]</b>
<b>7 (a)</b> q	B1	[1]
<b>(b)</b> F marked close to point of image/object	B1	[1]
<b>(c)</b> [mark in pairs, use $\checkmark + \times = 0$ ] inverted real	B1 B1	[2]
<b>(d)</b> same	B1	[1]
<b>(e) (i)</b> nothing	C1	[1]
(ii) image blurs	A1	[1]
		<b>[Total: 7]</b>

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0625	02

<b>8</b>	<b>(a)</b> one sound direct one sound after reflection/echo	B1		
		B1	[2]	
	<b>(b)</b> first second one suffers absorption,dispersion	M1		
		A1	[2]	
	<b>(c)</b>	<b>(i)</b> $s = vt$ in any form (seen somewhere in <b>(c)</b> ) time to hear 1st sound = $990/330$ or 3 (s)	B1	
			B1	[2]
		<b>(ii)</b> time to hear 2 <sup>nd</sup> sound = $(3 \times 330)/330$ or 9 (s)	B1	[1]
	<b>(iii)</b> interval = 6 (s) e.c.f.	B1	[1]	
				<b>[Total: 8]</b>
	<b>9</b>	<b>(a)</b> L.H. circuit – series AND R.H. circuit – parallel	B1	[1]
		<b>(b)</b> <b>(i)</b> 280 + 200 480 ( $\Omega$ )	C1	
A1			[2]	
<b>(ii)</b> $I = V/R$ in any form 12/his <b>(i)</b> seen or 12/480 need not be seen 0.025 or 25 or 1/40 c.a.o. A or mA as appropriate		C1		
		C1		
		A1		
<b>(iii)</b> his <b>(ii)</b> $\times 200$ or proportion or potential divider calculation 5 (V) e.c.f.		B1	[4]	
<b>(iv)</b> connect voltmeter ) ) (could be shown on diag) between A and B )	C1			
	A1	[2]		
			<b>[Total: 11]</b>	
<b>10</b>	<b>(a)</b>	<b>(i)</b> core correctly labelled	B1 [1]	
		<b>(ii)</b> iron	B1 [1]	
		<b>(iii)</b> idea of magnetic linkage	B1 [1]	
	<b>(b)</b> $V_1/V_2 = N_1/N_2$ in any form correct substitution 120 (V)	C1		
		C1		
		A1	[3]	
			<b>[Total: 6]</b>	

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0625	02

- 11 no exposed wires )  
no worn insulation )  
no loose wires/connections )  
no short circuits )  
plug correctly wired ) any 3  
any idea about continuity check )  
no sharp bends in cable )
- B1 x 3 [3]

**[Total: 3]**

- 12 (a) 5 points correctly plotted (–1 e.e.o.o.) B2  
reasonable curve through his points B1 [3]

- (b) (i) between 30 and 35 or his correct value  $\pm 5$  B1 [1]

- (ii) 2 (minutes) or his correct value  $\pm 0.02$  B1 [1]

- (c) 2 (minutes) or his (b) (ii) B1 [1]

- (d) (i) half-life too short B1 [1]

- (ii) mark any correct 2, ignore the rest

- long half life )  
gamma-emitter )  
good penetration ) any 2  
similar particle size )  
similar density )

B1+B1 [2]

**[Total: 9]**