

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

## **MARK SCHEME for the October/November 2013 series**

### **0625 PHYSICS**

**0625/53**

Paper 5 (Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2013	0625	53

- 1 (a)  $m < 250$  [1]  
 $V_1$  value =  $m$  [1]  
unit cm<sup>3</sup> [1]
- (b)  $V_2$  within 10% of  $V_1$  [1]
- (c)  $d_1, d_2, h$  all present and  $d_1 > d_2$  [1]  
 $D$  calculation correct to at least 1 d.p. [1]  
 $V_3$  calculated correctly and  $> V_1$  and  $V_2$  and 2 or 3 significant figures only [1]
- (d) method 2 – any one from:  
some water left in cup/spilt  
measuring cylinder not read at eye level/perpendicularly/bottom of meniscus  
parallax explained [1]
- method 3 – any one from:  
 $d_1$  not at liquid level  
 $d_1$  and  $d_2$  not inside diameters  
difficult to measure  $h$  (because of sloping side)  
 $h$  not measured at eye level/perpendicularly/parallax explained [1]
- (e) mass of cup / zero reading on balance [1]
- [Total: 10]**
- 2 (a) units correct (symbols or words) [1]  
times correct (0, 30, 60, 90, 120, 150, 180) [1]  
 $\theta$  beaker **A** and  $\theta$  beaker **B** decreasing [1]  
 $\theta$  to at least 1°C [1]  
smaller/same change in 180 s in beaker **B** compared to **A** [1]
- (b) statement matching temperature changes (accept 'no significant difference' if justified)  
and justification matching statement (comparison of temperature changes) [1]  
including specific mention of temperature change in same time [1]
- (c) appropriate condition relating to comparison, any one from:  
same size/thickness of beaker  
same volume of water  
same initial temperature  
same room temperature / appropriate environmental condition  
same time for cooling [1]

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2013	0625	53

- (d) any sensible alteration e.g.:  
 put lid on/cover top of **A**  
 extra experiment without insulation or lid / take lid off **B** [1]

matching explanation e.g.:  
 most thermal energy loss by convection o.w.t.t.e.  
 have only changed one factor o.w.t.t.e. [1]

**[Total: 10]**

- 3 (a) potential differences all  $< 2.5\text{V}$  and to at least 1 d.p. [1]  
 currents all  $< 1.50\text{A}$  and to at least 2 d.p. [1]

- (b) axes labelled, with units [1]  
 appropriate scales (plots occupying at least  $\frac{1}{2}$  grid) [1]  
 plots correct to  $\frac{1}{2}$  square [1]  
 best-fit line and thin, neat line, neat plots [1]

- (c) (i) triangle method seen on graph [1]  
 large triangle (at least  $\frac{1}{2}$  candidate's line) [1]

- (ii)  $R = M$  and  $< 2.0$  [1]  
 2 or 3 significant figures and unit  $\Omega$  (symbol or word) [1]

**[Total: 10]**

- 4 (a) (i) ray trace:  
 normal correct [1]  
 CD at  $20^\circ$  within  $1^\circ$  and equivalent reflected line in correct place [1]  
 CD at  $30^\circ$  within  $1^\circ$  and equivalent reflected line in correct place [1]  
 all lines thin and neat [1]  
 $P_1 - P_2$  pin separation at least 5 cm [1]

table:  
 $\theta = 40^\circ$  and  $60^\circ$  within  $2^\circ$  (e.c.f. from candidate's  $\alpha$ ) [1]

- (j) definite statement matching results (expect YES but allow e.c.f. if difference  $>10\%$ )  
and justification matching statement  
 (expect 'within the range of experimental accuracy' o.w.t.t.e.) [1]  
 values from results shown/used (correctly w.r.t. statement) [1]

- (k) any two suitable precautions:  
 thin lines / fine pencil  
 view protractor perpendicularly / parallax explained  
 lines through centre of pin holes  
 pins well separated  
 pins vertical / not bent / viewed at base  
 place mirror so that reflecting surface is on line o.w.t.t.e. [2]

**[Total: 10]**