

June 2003

GCE ADVANCED SUBSIDIARY LEVEL AND ADVANCED LEVEL

MARK SCHEME

MAXIMUM MARK: 25

SYLLABUS/COMPONENT: 9702/03

PHYSICS
Paper 3 (Practical (AS))



| Page 1 | Mark Scheme | Syllabus | Paper |
|--------|-------------------------------------|----------|-------|
| | A/AS LEVEL EXAMINATIONS - JUNE 2003 | 9702 | 03 |

| | | | | | |
|---|-----|------|--|--|---------|
| 1 | (a) | (iv) | <p>% uncertainty in θ</p> <p>Accept $\Delta\theta$ to $\pm 1^\circ \pm 2^\circ$</p> <p>Ratio and percentage ideas correct</p> | <p>(1 mark)</p> <p>(1 mark)</p> | 2/1/0 |
| | (d) | (i) | <p>Measurements</p> <p>Expect to see at least 6 sets of results</p> <p>Less than 6 sets does not score this mark</p> <p>Check a value of T^4. Underline checked value and tick if correct</p> <p>Ignore small rounding errors. This mark cannot be awarded if there are no raw times, number of oscillations measured in a fixed time, or the stopwatch has been misread. If there is no record of the number of oscillations then this mark cannot be scored</p> <p>It may be necessary to refer to page 3 of script for a value of n</p> <p>Check a value for $\cos\theta$. Underline checked value and tick if correct</p> <p>Ignore small rounding errors. Expect to see a correct sign</p> <p>If either incorrect, write in correct value and -1 eooo</p> <p>Minor help given by Supervisor, -1. Major help, then -2</p> | <p>(1 mark)</p> <p>(1 mark)</p> | 3/2/1/0 |
| | (d) | (i) | <p>Repeated readings</p> <p>For each value of θ there must be at least two values of t</p> <p>An average value does not have to be calculate</p> | | 1 |
| | (d) | (i) | <p>At least 10° between the readings of θ</p> | | 1 |
| | (d) | (i) | <p>Quality of results</p> <p>Judge by scatter of points about Examiner line of best fit</p> <p>6 reasonable trend plots with little scatter</p> <p>5 trend plots, or some scatter of plots</p> <p>Large scatter/no trend/wrong quantities plotted</p> | <p>(2 marks)</p> <p>(1 mark)</p> <p>(zero)</p> | 2/1/0 |
| | (d) | (i) | <p>Column headings</p> <p>Check the $1/T^4$ column heading only</p> <p>Quantity and unit (s^{-4}) must be correct</p> | | 1 |
| | (d) | (i) | <p>Consistency</p> <p>Apply to raw values of θ and t only</p> <p>Values of θ must all be given to the nearest degree. Do not allow tenths of a degree</p> <p>Values of t must all be given to the nearest 0.1 s or 0.01 s</p> <p>Do not apply to average values</p> | <p>(one mark each)</p> | 2/1/0 |
| | (d) | (ii) | <p>Justification of number of sf in $\cos\theta$</p> <p>Answer must relate sf in θ to sf in $\cos\theta$</p> <p>Do not allow answers in terms of decimal places</p> <p>Do not allow vague answers that are given in terms of 'raw data'</p> | | 1 |
| | (e) | (i) | <p>Axes</p> <p>Scales must be such that the plotted points occupy at least half the graph grid in both the x and y directions (i.e. 4 x 6 in portrait or 6 x 4 in landscape)</p> <p>Axes must be labelled with the <u>quantity</u> plotted. Ignore units. Do not allow awkward scales or gaps of more than three large squares between the scale markings</p> | | 1 |

| Page 2 | Mark Scheme | Syllabus | Paper |
|--------|-------------------------------------|----------|-------|
| | A/AS LEVEL EXAMINATIONS - JUNE 2003 | 9702 | 03 |

- (e) (i) Plotting of points 1
 Check a suspect plot. Circle and tick if correct. If incorrect, show correct position with arrow, and -1. Work to half a small square. All observations must be plotted
- (e) (i) Line of best fit 1
 There must be a reasonable balance of points about the line of best fit
 There must be at least 5 plots on the grid for this mark to be awarded
 Do not allow a straight line to be drawn through a distinct curve trend
 Allow an acceptable curve through a curved trend of points
- (e) (ii) Determination of gradient 1
 Hypotenuse of Δ used must be greater than half the length of the drawn line
 Check the read-offs and ratio. Read-offs must be accurate to half a small square
 Do not allow this mark if a curve has been drawn
- (e) (ii) y-intercept 1
 The value must be read to half a small square
 Do not allow this mark if a curve has been drawn
- (f) $A =$ candidate's value of gradient 1
- (f) $B =$ candidate's value of intercept 1
- (f) Unit of A and B **both** correct (s^{-4}) 1
- (g) Measurement of L 1
 The value should be in the range $40 \text{ cm} \pm 2 \text{ cm}$. Can be implied in the working
 It may be necessary to refer to the Supervisor's Report
- (g) Correct method of working to give a value for g in range 9.0 to 11.0 m s^{-2} 1
 A POT error anywhere in the working will not score this mark
- (g) Sf in g 1
 Allow 2 or 3 sf only. Apply to any value given
 A bald value with no working cannot score this mark
- (g) Unit of g correct (and consistent with other measurements, e.g. L) 1
 There must be a numerical value of g for this mark to be scored
 A bald value with no working cannot score this mark

25 marks in total

